

COVID-19 surveillance report for renal centres in the UK

All regions and centres - up to 18 November 2020

ABOUT THIS REPORT

These reports are produced by the UK Renal Registry (UKRR) using data submitted by renal centres in response to the COVID-19 pandemic. The first report was circulated on Friday 27 March 2020.

The reports are primarily about adults aged \geq 18 years, as well as young adults aged 16–18 years, if they are under the care of an adult renal centre. However, also reported in the key points are aggregate data submitted by paediatric renal centres.

The data collected are deliberately limited so as not to add significantly to the burden of work in renal centres.

DEFINITIONS

A renal patient with COVID-19 is:

• an individual who has a positive laboratory result for SARS-COV-2.

This definition was updated for the report on 28 October 2020 to reflect changes and variability in COVID-19 testing strategies across renal centres.

A renal patient whose death is attributed to COVID-19 is:

• an individual who died within 28 days of a positive laboratory result for SARS-COV-2.

This definition was updated for the report on 26 August 2020 following the introduction of the new UK-wide methodology to record COVID-19 deaths.

SUGGESTED CITATION & DISCLAIMER

UK Renal Registry (2020) COVID-19 surveillance report for renal centres in the UK: All regions and centres. The Renal Association, Bristol, UK.

Publications based on the data presented in this report must include the citation detailed above and the following disclaimer:

The data reported here have been supplied by the UK Renal Registry (UKRR) of the Renal Association. The interpretation and reporting of these data are the responsibility of the authors and in no way should be seen as an official policy or interpretation of the UKRR or the Renal Association.

CONTACT US

For more information about this report or the UKRR, please email us at ukrr.data@nhs.net

KEY POINTS

For the week ending Wednesday 18 November 2020:

- adult renal centres 49 of the 51 centres in England, 5 of the 5 centres in Northern Ireland and 5 of the 5 centres in Wales submitted COVID-19 data to the UK Renal Registry (UKRR). Cumulative data up to 7 November 2020 were included for 9 of the 9 centres in Scotland.
- paediatric renal centres 13 of the 13 centres in England, Northern Ireland, Scotland and Wales submitted COVID-19 data to the UKRR.

The most recent 10 weeks of the pandemic in adult renal centres (RRT patients)

All regions and countries reached a peak in new cases around the end of March/beginning of April. Until the start of September, all three UK countries reported only small numbers of new cases. Over the last 10 weeks, numbers of new cases have increased, particularly in northern and midland regions of England and, more recently, in London, the South West, South East and Wales.

In adult renal centres in England:

- in the last week (Thurs–Wed) the number of new laboratory-confirmed cases of COVID-19 was 195
- up to 18 November the cumulative number of laboratory-confirmed cases of COVID-19 was 5,903
- in the last week (Thurs–Wed) the number of new deaths attributed to COVID-19 was 22
- up to 18 November the cumulative number of deaths attributed to COVID-19 was 1,525.

In adult renal centres in Northern Ireland:

- in the last week (Thurs–Wed) the number of new laboratory-confirmed cases of COVID-19 was 2
- up to 18 November the cumulative number of laboratory-confirmed cases of COVID-19 was 73
- in the last week (Thurs–Wed) the number of new deaths attributed to COVID-19 was 0
- up to 18 November the cumulative number of deaths attributed to COVID-19 was 12.

In adult renal centres in Scotland:

- Scotland reported the cumulative number of laboratory-confirmed COVID-19 cases and the cumulative number of deaths attributed to COVID-19 up to 7 November
- up to 7 November the cumulative number of laboratory-confirmed cases of COVID-19 was 181
- up to 7 November the cumulative number of deaths attributed to COVID-19 was 34.

In adult renal centres in Wales:

- in the last week (Thurs–Wed) the number of new laboratory-confirmed cases of COVID-19 was 11
- up to 18 November the cumulative number of laboratory-confirmed cases of COVID-19 was 206
- in the last week (Thurs–Wed) the number of new deaths attributed to COVID-19 was 2
- up to 18 November the cumulative number of deaths attributed to COVID-19 was 52.

The course of the pandemic in adult renal centres (CKD and RRT patients)

Figure 1 shows the cumulative number of laboratory-confirmed COVID-19 cases over the course of the pandemic in adult renal centres in England, Northern Ireland and Wales. As can be seen, at the start of the pandemic, the number of cases climbed steeply in all three countries, reaching a particularly high level in England, before plateauing between the start of May and September. Cases then started to increase again, initially in Northern Ireland and then shortly afterwards also in England and Wales, albeit so far at a slower pace than during the first wave of the pandemic.




Figure 1 Log cumulative counts of laboratory-confirmed COVID-19 cases in CKD and RRT patients between 1 March and 18 November 2020 in adult renal centres in England, Northern Ireland and Wales

In paediatric renal centres in England, Northern Ireland, Scotland and Wales:

- in the last week (Thurs–Wed) the number of new laboratory-confirmed cases of COVID-19 was 5
- up to 18 November the cumulative number of laboratory-confirmed cases of COVID-19 was 28
- there has been one paediatric death following a positive test for SARS-COV-2, but this occurred almost 4 months after the test result and the child had a serious underlying health condition.

SURVEILLANCE

ALL REGIONS AND ADULT CENTRES IN ENGLAND, NORTHERN IRELAND, SCOTLAND AND WALES

Table 1Number of new and cumulative reported laboratory-confirmed COVID-19 cases in CKD and RRT patients within the last 7 days (Thursday 12November to Wednesday 18November 2020) and up to Wednesday 18November 2020, respectively, in adult renal centres in England, Northern Ireland,Scotland and Wales by region, renal centre and country

	N RRT		Numbe	er of new	COVID-1	9 cases				N	umber of cu	ımulative C	OVID-19	cases		
Region/renal centre	patients alive end		HT						ΗТ (HHD+PD)	ICI	HD		TPLT		
	of 2018	CKD	(HHD+PD)	ICHD	TPLT	Missing	TOTAL	CKD	N	% of HT	N	% of ICHD	N	% of TPLT	 Missing 	TOTAL
EAST OF ENGLAND	4,553	0	0	5	1	0	6	6	15	4.8	165	9.2	35	1.4	0	221
Basildon	314	0	0	1	0	0	1	0	2	5.3	24	14.0	4	3.8	0	30
Cambridge	1,417	0	0	1	1	0	2	3	3	6.8	18	5.7	23	2.2	0	47
Chelmsford	270	0	0	0	0	0	0	0	0	0.0	8	7.1	0	0.0	0	8
Colchester	121	0	0	2	0	0	2	0	0	0.0	19	15.7	0	0.0	0	19
Ipswich	428	0	0	0	0	0	0	1	1	2.2	19	12.6	0	0.0	0	21
Norwich	786	0	0	1	0	0	1	1	1	2.0	20	6.8	5	1.1	0	27
Southend	260							0	4	12.9	7	5.5	3	3.0	0	14
Stevenage	957	0	0	0	0	0	0	1	4	5.6	50	10.2	0	0.0	0	55
KENT, SURREY & SUSSEX	2,169	2	0	0	0	0	2	84	0	0.0	38	4.4	16	1.4	0	138
Brighton	1,055	1	0	0	0	0	1	68	0	0.0	20	4.5	2	0.4	0	90
Kent	1,114	1	0	0	0	0	1	16	0	0.0	18	4.3	14	2.2	0	48
LONDON	14,394	3	1	14	6	0	24	176	59	6.1	1,185	21.1	230	2.9	0	1,650
Carshalton	1,736	1	0	1	0	0	2	35	8	6.3	121	14.3	14	1.8	0	178
London Barts	2,610	0	0	1	2	0	3	0	10	3.7	233	21.8	36	2.8	0	279
London Guy's	2,225	1	1	4	2	0	8	46	3	3.7	109	15.8	48	3.3	0	206
London King's	1,186	0	0	2	0	0	2	26	5	4.7	145	24.3	28	5.8	0	204
London Royal Free	2,234	0	0	1	0	0	1	36	6	3.4	179	26.2	20	1.5	0	241
London St George's	837	0	0	0	0	0	0	4	5	10.9	39	13.3	10	2.0	0	58
London West	3,566	1	0	5	2	0	8	29	22	14.3	359	25.1	74	3.7	0	484
MIDLANDS EAST	4,253	21	0	9	1	0	31	365	20	4.8	175	12.0	40	1.7	0	600
Derby	589	6	0	1	1	0	8	126	8	6.0	30	15.2	6	2.3	0	170

	N RRT		Numbe	er of new	COVID-1	9 cases				Nu	imber of c	umulative C	OVID-19	cases		
Region/renal centre	patients alive end		НТ						HT (HHD+PD)	IC	HD		TPLT		
	of 2018	CKD	(HHD+PD)	ICHD	TPLT	Missing	TOTAL	CKD	N	% of HT	N	% of ICHD	N	% of TPLT	 Missing 	TOTAL
Leicester	2,468	14	0	6	0	0	20	178	6	3.4	92	10.0	20	1.5	0	296
Nottingham	1,196	1	0	2	0	0	3	61	6	5.7	53	15.1	14	1.9	0	134
MIDLANDS WEST	6,485	18	2	12	3	0	35	642	44	6.1	442	16.2	63	2.1	61	1,252
Birmingham ¹	3,248	14	1	7	3	0	25	228	23	7.1	246	18.3	39	2.5	0	536
Coventry	1,042	0	0	1	0	0	1	79	5	6.2	52	13.7	5	0.9	0	141
Dudley	361	0	0	0	0	0	0	0	1	2.1	31	15.1	3	2.8	0	35
Shrewsbury ²	424							212	2	2.5	17	8.3	4	2.9	27	262
, Stoke	808	3	1	2	0	0	6	33	8	7.8	34	11.9	9	2.1	0	84
Wolverhampton	602	1	0	2	0	0	3	90	5	5.7	62	19.7	3	1.5	34	194
NORTH EAST	2,930	3	0	3	0	0	6	51	4	2.1	125	12.2	28	1.6	0	208
Carlisle	293	0	0	0	0	0	0	5	1	3.2	13	12.9	1	0.6	0	20
Middlesbrough	925	1	0	1	0	0	2	5	0	0.0	29	8.4	14	2.6	0	48
Newcastle	1,155	2	0	2	0	0	4	37	1	1.2	39	11.5	7	1.0	0	84
Sunderland	557	0	0	0	0	0	0	4	2	5.1	44	18.1	6	2.2	0	56
NORTH WEST	6,458	13	1	14	2	0	30	237	47	8.7	338	15.8	93	2.5	0	715
Liverpool Aintree	218	0	0	0	0	0	0	0	4	9.1	29	18.7	0	0.0	0	33
Liverpool Royal	1,277	0	0	2	0	0	2	0	0	0.0	72	20.0	10	1.2	0	82
Manchester Royal	2,073	1	0	3	0	0	4	25	8	5.7	68	13.4	25	1.8	0	126
Preston	1,322	9	1	5	2	0	17	126	8	9.9	80	15.4	40	5.6	0	254
Salford	1,173	3	0	4	0	0	7	38	27	18.0	55	13.8	15	2.4	0	135
Wirral	395	0	0	0	0	0	0	48	0	0.0	34	16.7	3	1.8	0	85
SOUTH EAST	4,514	3	0	11	1	0	15	144	8	2.7	171	13.5	47	1.6	0	370
Oxford	1,940	0	0	8	0	0	8	10	3	3.4	55	12.2	22	1.6	0	90
Portsmouth	1,764	2	0	3	0	0	5	26	3	1.8	42	8.0	14	1.3	0	85
Reading	810	1	0	0	1	0	2	108	2	4.1	74	25.3	11	2.4	0	195
SOUTH WEST	4.808	10	0	4	0	0	14	78	1	0.3	87	5.0	29	1.1	0	195
Bristol	1,469	9	0	0	0	0	9	74	0	0.0	35	7.4	10	1.1	0	119
Dorset	765	0	0	0	0	0	0	1	0	0.0	5	1.7	5	1.2	0 0	11
Exeter	1,088	1	0	2	0	0	3	1	1	1.0	13	2.9	3	0.6	0	18
Gloucester	510	0	0	2	0	0	2	1	0	0.0	26	11.1	3	1.3	0	30
Plymouth	539	0	0	0	0	0	0	1	0	0.0	4	3.1	6	1.7	0 0	11
Truro	437	0	0	0	0 0	0	0	0	0	0.0	4	2.4	2	0.8	0 0	6

	N RRT		Numbe	er of new	COVID-1	9 cases				Nu	umber of cu	umulative C	OVID-19	cases		
Region/renal centre	patients alive end		HT						ΗТ (HHD+PD)	IC	HD	-	TPLT		
	of 2018	CKD	(HHD+PD)	ICHD	TPLT	Missing	TOTAL	CKD	N	% of HT	N	% of ICHD	N	% of TPLT	 Missing 	TOTAL
YORKSHIRE & HUMBER	5,637	10	2	12	8	0	32	177	15	4.1	274	13.2	87	2.7	1	554
Bradford	686	0	0	4	3	0	7	27	3	8.6	68	26.2	18	4.6	0	116
Doncaster	332	0	0	0	1	0	1	9	0	0.0	14	7.8	3	2.5	0	26
Hull	883	3	0	0	0	0	3	10	3	5.8	19	5.4	19	4.0	0	51
Leeds	1,687	2	1	3	3	0	9	56	5	5.7	73	13.4	24	2.3	1	159
Sheffield	1,481	4	1	4	1	0	10	63	4	3.6	79	14.4	23	2.8	0	169
York	568	1	0	1	0	0	2	12	0	0.0	21	11.4	0	0.0	0	33
NORTHERN IRELAND	1,914	1	0	1	0	0	2	14	0	0.0	34	5.8	25	2.0	0	73
Antrim	274	0	0	0	0	0	0	0	0	0.0	7	5.9	3	2.3	0	10
Belfast	877	0	0	0	0	0	0	7	0	0.0	11	6.4	14	2.1	0	32
Newry	249	1	0	0	0	0	1	3	0	0.0	6	7.4	5	3.3	0	14
Ulster	190	0	0	0	0	0	0	1	0	0.0	5	4.7	1	1.4	0	7
West NI	324	0	0	1	0	0	1	3	0	0.0	5	4.5	2	1.0	0	10
SCOTLAND³	5,245								9	3.4	111	5.9	61	2.0	0	181
WALES	3,252	2	0	7	2	0	11	26	7	2.5	137	11.5	36	2.0	0	206
Bangor	202	0	0	0	0	0	0	9	0	0.0	7	10.0	4	4.0	0	20
Cardiff	1,721	0	0	5	0	0	5	7	2	2.1	62	11.2	12	1.1	0	83
Clwyd	190	0	0	0	0	0	0	0	0	0.0	25	33.3	2	2.0	0	27
Swansea	824	2	0	2	2	0	6	10	4	3.8	32	8.6	11	3.2	0	57
Wrexham	315	0	0	0	0	0	0	0	1	3.4	11	9.6	7	4.1	0	19
ENGLAND	56,201	83	6	84	22	0	195	1,960	213	4.9	3,000	14.5	668	2.1	62	5,903
NORTHERN IRELAND	1,914	1	0	1	0	0	2	14	0	0.0	34	5.8	25	2.0	0	73
SCOTLAND³	5,245								9	3.4	111	5.9	61	2.0	0	181
WALES	3,252	2	0	7	2	0	11	26	7	2.5	137	11.5	36	2.0	0	206

¹Data from University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital & Queen Elizabeth Hospital).

²The cumulative number of CKD patients with a positive test is high in Shrewsbury because of active testing in the community.

³Scotland reported cumulative cases up to 7 November 2020.

Blank cells indicate that the renal centre did not submit data to the UKRR.

CKD – chronic kidney disease (i.e. patients with CKD not on RRT); HHD – home haemodialysis; HT – home therapies; ICHD – in-centre haemodialysis; PD – peritoneal dialysis; RRT – renal replacement therapy; TPLT – transplant; Missing – treatment modality data missing

Table 2Number of new and cumulative reported deaths within 28 days of laboratory-confirmed COVID-19 in CKD and RRT patients within the last 7 days(Thursday 12 November to Wednesday 18 November 2020) and up to Wednesday 18 November 2020, respectively, in adult renal centres in England,Northern Ireland, Scotland and Wales by region, renal centre and country

	N RRT	N	umber of new	v deaths	attribute	d to COVID-	19 ¹			Number of	cumulativ	ve deaths at	tributed	to COVID-	19 ¹	
Region/renal centre	patients alive end		НТ						HT (HHD+PD)	IC	HD		TPLT		
	of 2018	СКD	(HHD+PD)	ICHD	TPLT	Missing	TOTAL	CKD	N	% of HT	N	% of ICHD	N	% of TPLT	 Missing 	TOTAL
EAST OF ENGLAND	4,553	0	0	1	0	0	1	4	5	1.6	33	1.8	7	0.3	0	49
Basildon	314	0	0	0	0	0	0	0	1	2.6	7	4.1	0	0.0	0	8
Cambridge	1,417	0	0	0	0	0	0	1	0	0.0	4	1.3	4	0.4	0	9
Chelmsford	270	0	0	0	0	0	0	0	0	0.0	1	0.9	0	0.0	0	1
Colchester	121	0	0	1	0	0	1	0	0	0.0	4	3.3	0	0.0	0	4
Ipswich	428	0	0	0	0	0	0	1	0	0.0	5	3.3	0	0.0	0	6
Norwich	786	0	0	0	0	0	0	1	1	2.0	2	0.7	3	0.7	0	7
Southend	260	0	0	0	0	0	0	0	2	6.5	0	0.0	0	0.0	0	2
Stevenage	957	0	0	0	0	0	0	1	1	1.4	10	2.0	0	0.0	0	12
KENT, SURREY & SUSSEX	2,169	1	0	1	0	0	2	39	0	0.0	16	1.9	5	0.4	0	60
Brighton	1,055	0	0	0	0	0	0	26	0	0.0	10	2.2	0	0.0	0	36
Kent	1,114	1	0	1	0	0	2	13	0	0.0	6	1.4	5	0.8	0	24
LONDON	14,394	0	0	1	0	0	1	50	18	1.9	234	4.2	48	0.6	0	350
Carshalton	1,736	0	0	0	0	0	0	11	3	2.4	25	3.0	3	0.4	0	42
London Barts	2,610	0	0	1	0	0	1	0	3	1.1	39	3.7	7	0.6	0	49
London Guy's	2,225	0	0	0	0	0	0	12	0	0.0	10	1.4	9	0.6	0	31
London King's	1,186	0	0	0	0	0	0	7	0	0.0	26	4.4	4	0.8	0	37
London Royal Free	2,234	0	0	0	0	0	0	14	3	1.7	35	5.1	4	0.3	0	56
London St George's	837	0	0	0	0	0	0	1	4	8.7	14	4.8	2	0.4	0	21
London West	3,566	0	0	0	0	0	0	5	5	3.2	85	5.9	19	1.0	0	114
MIDLANDS EAST	4,253	1	0	0	0	0	1	127	5	1.2	29	2.0	6	0.3	0	167
Derby	589	1	0	0	0	0	1	42	3	2.2	5	2.5	2	0.8	0	52
Leicester	2,468	0	0	0	0	0	0	58	1	0.6	14	1.5	3	0.2	0	76
Nottingham	1,196	0	0	0	0	0	0	27	1	0.9	10	2.9	1	0.1	0	39
MIDLANDS WEST	6,485	3	0	1	0	0	4	235	14	1.9	93	3.4	10	0.3	36	388
Birmingham ²	3,248	2	0	1	0	0	3	74	9	2.8	46	3.4	8	0.5	0	137
Coventry	1,042	0	0	0	0	0	0	32	1	1.2	11	2.9	0	0.0	0	44
Dudley	361	0	0	0	0	0	0	0	1	2.1	14	6.8	0	0.0	0	15

	N RRT	N	umber of new	deaths	attribute	d to COVID-	-19 ¹			Number of	cumulati	ve deaths at	tributed	to COVID-	-19 ¹	
Region/renal centre	patients alive end		НТ						HT ((HHD+PD)	IC	CHD		TPLT		
	of 2018	СКD	(HHD+PD)	ICHD	TPLT	Missing	TOTAL	CKD	N	% of HT	N	% of ICHD	N	% of TPLT	 Missing 	TOTAL
Shrewsbury	424	0	0	0	0	0	0	87	2	2.5	4	1.9	1	0.7	10	104
Stoke	808	0	0	0	0	0	0	10	1	1.0	7	2.5	1	0.2	0	19
Wolverhampton	602	1	0	0	0	0	1	32	0	0.0	11	3.5	0	0.0	26	69
NORTH EAST	2,930	1	0	0	0	0	1	12	1	0.5	26	2.5	4	0.2	0	43
Carlisle	293	0	0	0	0	0	0	1	1	3.2	5	5.0	0	0.0	0	7
Middlesbrough	925	0	0	0	0	0	0	0	0	0.0	7	2.0	2	0.4	0	9
Newcastle	1,155	1	0	0	0	0	1	9	0	0.0	3	0.9	1	0.1	0	13
Sunderland	557	0	0	0	0	0	0	2	0	0.0	11	4.5	1	0.4	0	14
NORTH WEST	6,458	1	0	2	0	0	3	88	7	1.3	71	3.3	18	0.5	0	184
Liverpool Aintree	218	0	0	0	0	0	0	0	0	0.0	6	3.9	0	0.0	0	6
Liverpool Royal	1,277	0	0	0	0	0	0	0	0	0.0	19	5.3	2	0.2	0	21
Manchester Royal	2,073	0	0	0	0	0	0	8	4	2.8	11	2.2	9	0.6	0	32
Preston	1,322	1	0	1	0	0	2	46	0	0.0	18	3.5	4	0.6	0	68
Salford	1,173	0	0	1	0	0	1	15	3	2.0	8	2.0	2	0.3	0	28
Wirral	395	0	0	0	0	0	0	19	0	0.0	9	4.4	1	0.6	0	29
SOUTH EAST	4,514	0	0	Ő	Ő	0	Õ	48	3	1.0	40	3.1	6	0.2	0 0	97
Oxford	1,940	0	0	0	0	0	0	3	1	1.1	10	2.2	2	0.1	0	16
Portsmouth	1,764	0	0	0	0	0	0	1	0	0.0	8	1.5	3	0.1	0	10
Reading	810	0	0	0	0	0	0	44	2	4.1	22	7.5	1	0.2	0	69
SOUTH WEST	4,808	1	0	1	1	0	3	22	0	0.0	18	1.0	6	0.2 0.2	0	46
Bristol	4,808 1,469	1	0	1	1	0	3	21	0	0.0	7	1.5	4	0.4	0	32
Dorset	765	0	0	0	0	0	0	0	0	0.0	0	0.0	4	0.4	0	0
Exeter	1,088	0	0	0	0	0	0	0	0	0.0	2	0.0	0	0.0	0	2
Gloucester	510	0	0	0	0	0	0	0	0	0.0	2	0.4 3.4	1	0.0	0	2
	539	0	0	0	0	0	0	-	0	0.0	-	3.4 0.8	0	0.4	0	2
Plymouth			0	-	-	-	-	1	-		1				-	
	437	0	-	0	0	0	0	0	0	0.0	0	0.0	1	0.4	0	1
YORKSHIRE & HUMBER	5,637	5	0	0	1	0	6	68	2	0.5	58	2.8	12	0.4	1	141
Bradford	686	0	0	0	0	0	0	13	0	0.0	19	7.3	0	0.0	0	32
Doncaster	332	1	0	0	0	0	1	5	0	0.0	4	2.2	0	0.0	0	9
Hull	883	1	0	0	0	0	1	4	1	1.9	7	2.0	3	0.6	0	15
Leeds	1,687	2	0	0	0	0	2	23	0	0.0	10	1.8	6	0.6	1	40
Sheffield	1,481	1	0	0	1	0	2	17	1	0.9	15	2.7	3	0.4	0	36
York	568	0	0	0	0	0	0	6	0	0.0	3	1.6	0	0.0	0	9

	N RRT	N	lumber of nev	v deaths a	attribute	d to COVID-	·19 ¹			Number of	cumulati	ve deaths a	ttributed	to COVID-	·19 ¹	
Region/renal centre	patients alive end		HT					. <u></u>	HT (HHD+PD)	IC	CHD	٦	TPLT		
	of 2018	CKD	(HHD+PD)	ICHD	TPLT	Missing	TOTAL	CKD	N	% of HT	N	% of ICHD	N	% of TPLT	 Missing 	TOTAL
NORTHERN IRELAND	1,914	0	0	0	0	0	0	1	0	0.0	7	1.2	4	0.3	0	12
Antrim	274	0	0	0	0	0	0	0	0	0.0	1	0.8	0	0.0	0	1
Belfast	877	0	0	0	0	0	0	0	0	0.0	3	1.7	3	0.4	0	6
Newry	249	0	0	0	0	0	0	1	0	0.0	2	2.5	0	0.0	0	3
Ulster	190	0	0	0	0	0	0	0	0	0.0	1	0.9	1	1.4	0	2
West NI	324	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0	0
SCOTLAND ³	5,245								1	0.4	25	1.3	8	0.3	0	34
WALES	3,252	1	0	1	0	0	2	10	2	0.7	33	2.8	7	0.4	0	52
Bangor	202	0	0	0	0	0	0	4	0	0.0	2	2.9	0	0.0	0	6
Cardiff	1,721	0	0	0	0	0	0	3	0	0.0	16	2.9	4	0.4	0	23
Clwyd	190	0	0	0	0	0	0	0	0	0.0	5	6.7	2	2.0	0	7
Swansea	824	1	0	1	0	0	2	3	1	1.0	8	2.1	1	0.3	0	13
Wrexham	315	0	0	0	0	0	0	0	1	3.4	2	1.8	0	0.0	0	3
ENGLAND	56,201	13	0	7	2	0	22	693	55	1.3	618	3.0	122	0.4	37	1,525
NORTHERN IRELAND	1,914	0	0	0	0	0	0	1	0	0.0	7	1.2	4	0.3	0	12
SCOTLAND ³	5,245								1	0.4	25	1.3	8	0.3	0	34
WALES	3,252	1	0	1	0	0	2	10	2	0.7	33	2.8	7	0.4	0	52

¹Numbers of deaths attributed to COVID-19 are lower than in previous reports because the new definition restricts a COVID-19 death to one that occurred within 28 days of a positive test.

²Data from University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital & Queen Elizabeth Hospital).

³Scotland reported cumulative cases up to 7 November 2020.

The delay between the NHS tracing process and producing this report may result in a possible underestimation of the number of deaths.

Blank cells indicate that the renal centre did not submit data to the UKRR.

CKD – chronic kidney disease (i.e. patients with CKD not on RRT); HHD – home haemodialysis; HT – home therapies; ICHD – in-centre haemodialysis; PD – peritoneal dialysis; RRT – renal replacement therapy; TPLT – transplant; Missing – treatment modality data missing

 Table 3 Number of new reported laboratory-confirmed COVID-19 cases in RRT patients within the last 10 weeks in adult renal centres in England, Northern

 Ireland and Wales by region, renal centre and country

	N RRT				Numb	er of new positi	ve tests in RRT p	atients			
Region/renal centre	patients alive end of 2018	10-16 Sep	17-23 Sep	24-30 Sep	1-7 Oct	8-14 Oct	15-21 Oct	22-28 Oct	29 Oct-4 Nov	5 -11 Nov	12-18 Nov ²
EAST OF ENGLAND	4,553	0	0	1	1	5	7	7	7	8	6
Basildon	314	0	0	0	0	4	1	0	0	0	1
Cambridge	1,417	0	0	0	0	0	0	0	0	2	2
Chelmsford	270	0	0	1	0	0	0	1	0	0	0
Colchester	121	0	0	0	0	1	1	0	4	1	2
Ipswich	428	0	0	0	0	0	0	0	0	0	0
Norwich	786	0	0	0	1	0	2	1	1	3	1
Southend	260	0	0	0	0	0	0	0	2	2	
Stevenage	957	0	0	0	0	0	3	5	0	0	0
KENT, SURREY & SUSSEX	2,169	0	0	0	0	0	0	5	1	1	0
Brighton	1,055	0	0	0	0	0	0	2	0	0	0
Kent	1,114	0	0	0	0	0	0	3	1	1	0
LONDON	14,394	7	4	8	16	11	15	28	46	19	21
Carshalton	1,736	0	0	1	8	3	6	9	5	4	1
London Barts	2,610	3	1	2	2	2	3	4	16	8	3
London Guy's	2,225	0	0	0	2	1	0	5	4	1	7
London King's	1,186	1	0	1	1	1	0	3	8	0	2
London Royal Free	2,234	3	2	2	1	2	0	1	2	0	1
London St George's	837	0	0	0	0	0	1	1	2	0	0
London West	3,566	0	1	2	2	2	5	5	9	6	7
MIDLANDS EAST	4,253	4	6	6	6	6	9	11	10	13	10
Derby	589	0	0	2	0	0	2	0	2	3	2
Leicester	2,468	3	4	2	6	0	3	4	3	2	6
Nottingham	1,196	1	2	2	0	6	4	7	5	8	2
MIDLANDS WEST	6,485	3	4	3	5	5	19	26	29	37	17
Birmingham ¹	3,248	2	3	3	4	4	11	17	11	17	11
Coventry	1,042	0	0	0	0	0	1	0	2	2	1
Dudley	361	1	0	0	0	0	1	2	5	5	0
Shrewsbury	424	0	0	0	0	0	0	0	0	0	
Stoke	808	0	0	0	1	0	1	1	6	8	3

Region/renal centre patients alive end of 2018 10-16 Sep 17-23 Sep 24-30 Sep 1-7 Oct 8-14 Oct Wolverhampton 602 0 1 0 0 1 NORTH EAST 2,930 5 5 2 8 6 Carlisle 293 0 0 0 2 0 Middlesbrough 925 2 3 2 2 3					
NORTH EAST 2,930 5 5 2 8 6 Carlisle 293 0 0 0 2 0 Middlesbrough 925 2 3 2 2 3	t 15-21 Oct 2	22-28 Oct	29 Oct-4 Nov	5 -11 Nov	12-18 Nov ²
Carlisle 293 0 0 0 2 0 Middlesbrough 925 2 3 2 2 3	5	6	5	5	2
Middlesbrough 925 2 3 2 2 3	5	4	8	9	3
-	0	0	0	1	0
	0	0	2	2	1
Newcastle 1,155 1 2 0 2 2	4	2	5	5	2
Sunderland 557 2 0 0 2 1	1	2	1	1	0
NORTH WEST 6,458 11 16 17 19 22	29	31	27	26	17
Liverpool Aintree 218 0 2 3 2 2	0	3	4	1	0
Liverpool Royal 1,277 2 2 4 3 7	8	3	3	4	2
Manchester Royal 2,073 2 8 3 2 1	3	7	7	3	3
Preston 1,322 4 1 3 8 4	10	9	12	9	8
Salford 1,173 1 2 2 1 4	7	6	1	8	4
Wirral 395 2 1 2 3 4	1	3	0	1	0
SOUTH EAST 4,514 0 1 3 2 1	1	3	5	7	12
Oxford 1,940 0 0 3 1 1	1	1	3	4	8
Portsmouth 1,764 0 1 0 0 0	0	1	1	3	3
Reading 810 0 0 0 1 0	0	1	1	0	1
SOUTH WEST 4,808 0 0 0 0 2	2	4	14	9	4
Bristol 1,469 0 0 0 1	1	2	10	3	0
Dorset 765 0 0 0 0 0	1	1	0	0	0
Exeter 1,088 0 0 0 0 1	0	1	2	1	2
Gloucester 510 0 0 0 0 0	0	0	0	2	2
Plymouth 539 0 0 0 0 0	0	0	1	3	0
Truro 437 0 0 0 0 0	0	0	1	0	0
YORKSHIRE & HUMBER 5,637 0 4 7 9 17	23	22	28	31	22
Bradford 686 0 1 2 2 8	6	3	4	8	7
Doncaster 332 0 0 0 0 0 0	3	1	1	1	1
Hull 883 0 1 0 1 3	1	3	8	10	0
Leeds 1,687 0 1 4 4 3	5	7	7	3	7
Sheffield 1,481 0 1 1 2 3	7	8	8	7	6
York 568 0 0 0 0 0	1	0	0	2	1
NORTHERN IRELAND 1,914 2 1 2 4 2	4	5	5	4	1
Antrim 274 0 0 0 0 0	0	2	1	1	0
Belfast 877 0 1 2 2 1	1	2	2	1	0

	N RRT	Number of new positive tests in RRT patients												
Region/renal centre	patients alive end of 2018	10-16 Sep	17-23 Sep	24-30 Sep	1-7 Oct	8-14 Oct	15-21 Oct	22-28 Oct	29 Oct-4 Nov	5 -11 Nov	12-18 Nov ²			
Newry	249	2	0	0	0	0	0	0	2	1	0			
Ulster	190	0	0	0	0	1	2	1	0	1	0			
West NI	324	0	0	0	2	0	1	0	0	0	1			
WALES	3,252	0	2	0	4	2	4	5	9	13	9			
Bangor	202	0	1	0	0	0	1	0	0	0	0			
Cardiff	1,721	0	1	0	2	2	0	3	5	5	5			
Clwyd	190	0	0	0	0	0	0	1	0	0	0			
Śwansea	824	0	0	0	1	0	3	0	2	7	4			
Wrexham	315	0	0	0	1	0	0	1	2	1	0			
ENGLAND	56,201	30	40	47	66	75	110	141	175	160	112			
NORTHERN IRELAND	1,914	2	1		4	2	4	5	5	4	1			
WALES	3,252	0	2	0	4	2	4	5	9	13	9			

¹Data from University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital & Queen Elizabeth Hospital).

²The number of cases reported in the most recent week is likely to be an underestimation, because of the lag in reporting to the UKRR.

Blank cells indicate that the renal centre did not submit data to the UKRR.

CKD – chronic kidney disease (i.e. patients with CKD not on RRT); HHD – home haemodialysis; HT – home therapies; ICHD – in-centre haemodialysis; PD – peritoneal dialysis; RRT – renal replacement therapy; TPLT – transplant; Missing – treatment modality data missing

RENAL ASSOCIATION COVID-19 GUIDELINES

You can access the most recent Renal Association guidelines on the care of patients with kidney disease during the COVID-19 pandemic by clicking on the link below:

https://renal.org/covid-19/ra-resources-renal-professionals/